

Compatibility Matrix Gupta Team Developer



opentext Gupta Team Developer

This document provides the historic Gupta Team Developer compatibility matrices, starting with Team Developer 1.5.1 and ending with Team Developer 7.1.

OpenText Gupta Team Developer 7.1 and OpenText Gupta Report Builder 7.1

Processor	x64 Processor, 1.4GHZ or better
Memory	2GB or greater
Operating System	Windows Server 2016 Windows 10 Windows 8.1 (32bit and 64bit) Windows Server 2012 (64bit) Windows 7 (32bit and 64bit) Windows Server 2008 (64bit)
.NET Framework	4.5+
Databases Win32	SQLBase 12.1 SQLBase 12.0 SQLBase 11.7 SQLBase 11.6 (using 11.7 drivers) Oracle 11g R2 Oracle 12c Microsoft SQL Server 2008, 2012, 2014, 2016 SAP ASE 16.0 (Sybase) Informix 10, Informix 11, Informix 12.1 (32 bit client) OLE DB (32 bit version) ODBC (32 bit version)
Databases Win64	SQLBase 12.1 SQLBase 12.0 SQLBase 11.7 SQLBase 11.6 (using 11.7 drivers) Oracle 11g R2 Oracle 12c Microsoft SQL Server 2008, 2012, 2014, 2016 SAP ASE 16.0 (Sybase) Informix 10, Informix 11, Informix 12.1 (64 bit client) OLE DB (64 bit version) ODBC (64 bit version)
Databases .NET	SQLBase 12.1 SQLBase 12.0 SQLBase 11.7

	SQLBase 11.6 (using 11.7 drivers) Oracle 11g R2 (32 bit client) connecting to Oracle 10g or 11g Oracle 12c Microsoft SQL Server 2008, 2012, 2014, 2016 SAP ASE 16.0 (Sybase) OLE DB (32 bit version) ODBC (32 bit version)
--	--

OpenText Gupta Team Developer 7.0 and OpenText Gupta Report Builder 7.0

Processor	x64 Processor, 1.4GHZ or better
Memory	2GB or greater
Operating System	Windows Server 2016 (ab Version 7.0.3) Windows 10 Windows 8.1 (32bit and 64bit) Windows Server 2012 (64bit) Windows 7 (32bit and 64bit) Windows Server 2008 (64bit)
.NET Framework	4.5+
Databases Win32	SQLBase 12.1 (ab Version 7.0.3) SQLBase 12.0 SQLBase 11.7 SQLBase 11.6 (using 11.7 drivers) Oracle 11g R2 Oracle 12c Microsoft SQL Server 2008, 2012, 2014, 2016 SAP ASE 16.0 (Sybase) Informix 10, Informix 11 (32 bit client) OLE DB (32 bit version) ODBC (32 bit version)
Databases Win64	SQLBase 12.1 (ab Version 7.0.3) SQLBase 12.0 SQLBase 11.7 SQLBase 11.6 (using 11.7 drivers) Oracle 11g R2

	<p>Oracle 12c</p> <p>Microsoft SQL Server 2008, 2012, 2014, 2016</p> <p>SAP ASE 16.0 (Sybase)</p> <p>OLE DB (64 bit version)</p> <p>ODBC (64 bit version)</p>
Databases .NET	<p>SQLBase 12.0</p> <p>SQLBase 11.7</p> <p>SQLBase 11.6 (using 11.7 drivers)</p> <p>Oracle 11g R2 (32 bit client) connecting to Oracle 10g or 11g</p> <p>Oracle 12c</p> <p>Microsoft SQL Server 2008, 2012, 2014, 2016</p> <p>SAP ASE 16.0 (Sybase)</p> <p>OLE DB (32 bit version)</p> <p>ODBC (32 bit version)</p>

OpenText Gupta Team Developer 6.3 and OpenText Gupta Report Builder 6.3

Operating System	<p>Windows 10 (TD 6.3 SP1 and above)</p> <p>Windows 8.1 (32bit and 64bit)</p> <p>Windows Server 2012 (64bit)</p> <p>Windows 7 (32bit and 64bit)</p> <p>Windows Server 2008 (64bit)</p>
.NET Framework	3.5, 4.0, 4.5
Databases Win32	<p>SQLBase 12.0</p> <p>SQLBase 11.7</p> <p>SQLBase 11.6 (using 11.7 drivers)</p> <p>Oracle 11g R2</p> <p>Oracle 12c</p> <p>Microsoft SQL Server 2008, 2012, 2014 (TD 6.3 SP1)</p> <p>Sybase ASE 15.0 using Sybase Open Client 15.7 (32 bit client) Informix 10, Informix 11 (32 bit client)</p> <p>OLE DB (32 bit version)</p> <p>ODBC (32 bit version)</p>
Databases .NET	<p>SQLBase 12.0, SQLBase 11.7, SQLBase 11.6 (using 11.7 drivers)</p> <p>Oracle 11g R2 (32 bit client) connecting to Oracle</p>

	<p>10g or 11g</p> <p>Oracle 12c</p> <p>Microsoft SQL Server 2008, 2012, 2014 (TD 6.3 SP1)</p> <p>Sybase ASE 15.0 using Sybase Open Client 15.7 (32 bit client)</p>
--	--

OpenText Gupta Team Developer 6.2 and OpenText Gupta Report Builder 6.2

Operating System	<p>Windows 8.1 (32bit and 64bit)</p> <p>Windows Server 2012 (64bit)</p> <p>Windows 8 Pro</p> <p>Windows Server 2011</p> <p>Windows 7 (32bit and 64bit)</p> <p>Windows Server 2008 (64bit)</p> <p>Windows Vista</p> <p>Windows Server 2003</p> <p>Windows XP (Unavailable since TD 6.2 SP4)</p>
.NET Framework	3.5, 4.0
Databases Win32	<p>SQLBase 11.7</p> <p>SQLBase 11.6</p> <p>Oracle 11g R2</p> <p>Oracle 10g</p> <p>Oracle 12c (TD 6.2 SP1)</p> <p>Microsoft SQL Server 2005, 2008, 2012 (TD 6.2 SP1)</p> <p>Sybase ASE 12.5 and 15.0 using Sybase Open Client 15.0 (32 bit client)</p> <p>Informix 10, Informix 11 (32 bit client)</p> <p>OLE DB (32 bit version)</p> <p>ODBC (32 bit version)</p>
Databases .NET	<p>SQLBase 11.7</p> <p>SQLBase 11.6</p> <p>Oracle 11g R2</p> <p>Oracle 10g</p> <p>Oracle 12c (TD 6.2 SP1)</p> <p>Microsoft SQL Server 2005, 2008, 2012 (TD 6.2 SP1)</p> <p>Sybase ASE 12.5 and 15.0 using Sybase Open</p>

	Client 15.0 (32 bit client) OLE DB (32 bit version) ODBC (32 bit version)
--	---

OpenText Gupta Team Developer 6.1 and OpenText Gupta Report Builder 6.1

Operating System	Windows Server 2012 (64bit) Windows 8 Pro Windows Server 2011 Windows 7 (32bit and 64bit) Windows Server 2008 (64bit) Windows Vista Windows Server 2003 Windows XP
.NET Framework	3.5, 4.0
Databases Win32	SQLBase 11.6 SQLBase 11.5 Oracle 11g R2 Oracle 10g Microsoft SQL Server 2005, 2008 Sybase ASE 12.5 and 15.0 using Sybase Open Client 15.0 (32 bit client) Informix 10, Informix 11 (32 bit client) OLE DB (32 bit version) ODBC (32 bit version)
Databases .NET	SQLBase 11.6 SQLBase 11.5 Oracle 11g R2 Oracle 10g Oracle 12c (TD 6.2 SP1) Microsoft SQL Server 2005, 2008 Sybase ASE 12.5 and 15.0 using Sybase Open Client 15.0 (32 bit client) OLE DB (32 bit version) ODBC (32 bit version)

OpenText Gupta Team Developer 6.0 and OpenText Gupta Report Builder 6.0

Operating System	Windows Server 2012 (64bit) Windows 8 Pro Windows 7 (32bit and 64bit) Windows Server 2008 (64bit) Windows Vista Windows Server 2003 Windows XP
.NET Framework	3.5
Databases Win32	SQLBase 11.6 SQLBase 11.5 Oracle 11g R2 Oracle 10g Microsoft SQL Server 2005, 2008 Sybase ASE 12.5 and 15.0 using Sybase Open Client 15.0 (32 bit client) Informix 10, Informix 11 (32 bit client) OLE DB (32 bit version) ODBC (32 bit version)
Databases .NET	SQLBase 11.6 SQLBase 11.5 Oracle 11g R2 Oracle 10g Oracle 12c (TD 6.2 SP1) Microsoft SQL Server 2005, 2008 Sybase ASE 12.5 and 15.0 using Sybase Open Client 15.0 (32 bit client) OLE DB (32 bit version) ODBC (32 bit version)

OpenText Gupta Team Developer 5.2 and OpenText Gupta Report Builder 5.2

Operating System	Windows 7 (32bit and 64bit) Windows Server 2008 (64bit) Windows Vista Windows Server 2003 Windows XP Windows 2000
Databases Win32	SQLBase 11.5 SQLBase 11.0 Oracle 11g R2 Oracle 10g Microsoft SQL Server 2005, 2008 Sybase ASE 12.5 and 15.0 using Sybase Open Client 15.0 (32 bit client) Informix 10, Informix 11 OLE DB ODBC

OpenText Gupta Team Developer 5.1 and OpenText Gupta Report Builder 5.1

Operating System	Windows Vista Windows Server 2003 Windows XP Windows 2000
Databases Win32	SQLBase 11.0 SQLBase International Oracle 9.2, 10g, 11g Microsoft SQL Server 2000, 2005 Sybase ASE 12.5 and 15.0 using Sybase Open Client 15.0 (32 bit client) Informix 9.4 OLE DB ODBC

OpenText Gupta Team Developer 4.2 and OpenText Gupta Report Builder 4.2

Operating System	Windows Vista Windows Server 2003 Windows XP Windows 2000
Databases Win32	SQLBase 9.0.1 SQLBase 9.0.0 Oracle 9.0, 9.2, 10 Microsoft SQL Server 2000 Sybase ASE OLE DB Provider 2.7 OLE DB ODBC

OpenText Gupta Team Developer 4.1 and OpenText Gupta Report Builder 4.1 (2005.1)

Operating System	Windows Server 2003 Windows XP Windows 2000
Databases Win32	SQLBase 9.0.1 SQLBase 9.0.0 Oracle 9.0, 9.2, 10 Microsoft SQL Server 2000 Sybase ASE OLE DB Provider 2.7 OLE DB ODBC

OpenText Gupta Team Developer 4.0 and OpenText Gupta Report Builder 4.0 (2005)

Operating System	Windows Server 2003 Windows XP Windows 2000 Windows NT 4.0 Windows ME, 98
------------------	---

Databases Win32	SQLBase 9.0.0 SQLBase 8.5.0 Oracle 8.1, 9.2, 10.1 Microsoft SQL Server 2000 Sybase ASE OLE DB Provider 2.7 IBM DB2 8.1 OLE DB ODBC
-----------------	---

OpenText Gupta Team Developer 3.1 and OpenText Gupta Report Builder 3.1

Operating System	Windows Server 2003 Windows XP Windows 2000 Windows NT 4.0 Windows ME, 98
Databases Win32	SQLBase 8.5.0 Oracle 8.1, 9.2 Microsoft SQL Server 2000 Sybase ASE 11.5 Informix Connect 2.7 OLE DB ODBC

OpenText Gupta Team Developer 3.0 and OpenText Gupta Report Builder 3.0

Operating System	Windows Server 2003 Windows XP Windows 2000 Windows NT 4.0 Windows ME, 98
Databases Win32	SQLBase 8.0.0 Oracle 8.1, 9.2 Microsoft SQL Server 7 & 8 Sybase ASE 11.5 IBM DB2 ODBC 7.01 Informix OL 7.3, SE 7.3 CA-OpenIngres NET OLE DB ODBC

OpenText Gupta Team Developer 2.1 and OpenText Gupta Report Builder 2.1

Operating System	Windows 2000 Windows NT 4.0 Windows ME, 98, 95
Databases Win32	SQLBase 7.6.1 Oracle 7.3, 8.0, 8.1 Microsoft SQL Server 7 & 8 Sybase ASE 11.5, 11.9, 12.0, 12.5 IBM DB2 ODBC 7.01 Informix OL 7.3, SE 7.3 CA-OpenIngres NET 7.3 OLE DB ODBC

OpenText Gupta Team Developer 2.0 and OpenText Gupta Report Builder 2.0 (2000)

Operating System	Windows 2000 Windows NT 4.0 Windows ME, 98, 95
Databases Win32	SQLBase 7.5.1 Oracle 7.3, 8.0, 8.1 Microsoft SQL Server 7 Sybase ASE 11.5, 11.9 Informix OL 7.3 SE 7.3CA-OpenIngres NET 1.2 OLE DB ODBC

OpenText Gupta Team Developer 1.5.1 and OpenText Gupta Report Builder 1.5.1

Operating System	Windows 2000 Windows NT 4.0 Windows ME, 98, 95
Databases Win32	SQLBase 7.0.1 PTF4

	Oracle 7.2, 7.3, 8.0 Microsoft SQL Server 6.5, 7 Sybase ASE 11.5, 11.9 Informix OL 7.3, SE 7.3
--	---